

B1 end  
plurality of different crystallization samples within the enclosed microvolume; the plurality of different crystallization samples comprising a protein to be crystallized and crystallization conditions which vary among the plurality of different crystallization samples;

allowing crystals of the protein to form in the plurality of crystallization samples within the microfluidic device; and

identifying which of the plurality of crystallization samples within the microfluidic device comprise a precipitate or a crystal of the protein.

B2  
~~19~~ (Amended) A method according to claim ~~14~~, wherein the one or more dividers are formed of an impermeable material.

~~20~~ (Amended) A method according to claim ~~14~~, wherein the impermeable material is an impermeable liquid.

~~21~~ (Amended) A method according to claim ~~14~~, wherein the impermeable material is an impermeable solid.

B3  
~~22~~ (Amended) A method according to claim ~~14~~, wherein the one or more dividers are formed of a permeable material.

B4  
~~23~~ (Amended) A method according to claim ~~14~~, wherein the one or more dividers are formed of a semipermeable material.

B5  
~~24~~ (Amended) A method according to claim ~~14~~, wherein at least one of the one or more dividers form an interface selected from the group consisting of liquid/liquid, liquid/ gas interface, liquid/ solid and liquid/ sol-gel interface.

~~25~~ (Amended) A method according to claim ~~14~~, wherein the one or more dividers are selected from the group consisting of a membrane, gel, frit, and matrix.

~~29~~ (Amended) A method according to claim ~~14~~, wherein the one or more dividers function to modulate diffusion characteristics between adjacent crystallization samples.

<sup>30</sup>  
~~30~~ (Amended) A method according to claim <sup>18</sup>~~24~~, wherein at least one of the one or more dividers is formed of a semipermeable material which allows diffusion between adjacent crystallization samples.

<sup>31</sup>  
~~31~~ (Amended) A method for determining crystallization conditions for a protein, the method comprising:

*B5 end*  
within a microfluidic device, delivering material to a plurality of enclosed microvolumes via one or more lumens that each have a cross sectional diameter of less than 500 microns to form a plurality of different crystallization samples within the plurality of enclosed microvolumes, each microvolume comprising two or more crystallization samples, the different crystallization samples comprising a protein to be crystallized and crystallization conditions which vary among the plurality of different crystallization samples;

allowing crystals of the protein to form in the plurality of crystallization samples;

and

identifying which of the plurality of crystallization samples comprise a precipitate or a crystal of the protein.

---